

Isporuka AAI@edu.hr korisničkih podataka putem SMS-a



Teo Brusić



Tokovi podataka

- Državna matura
- Upisi.hr
- potvrda upisa – upisni broj
- ISVU:
 - Matični podaci
 - Adresa
 - Broj telefona i mobitela
 - Generira se LDAP



PROBLEMI isporuke:

- ISVU čekanje generiranja
- X-ice isporuka
- printanje i slaganje papira
- uvid u osobnu



LDAP koristimo:

- mail
- StudISweb
- ISVU studomat
- MERLIN
- e-Građani
- Pretraživanje baza znanja i radova
- Office 365
- Dreamspark – Imagine
- Eduroam
- pGina



Usporedba cijena

150 kn	160 kn	85 kn	40 kn	40 kn
sms 500	neograničeno	neograničeno	sms 3000	sms 2000
0,30 kn			0,49 kn	0,02 kn



vip

TELE2

tomato






Uređaji





Kannel





Kannel

```
kannel.conf x kannel_radi.conf x
49 #modemtype = nokia_c18
50 #device = /dev/ttyACM1
51 # Uncomment following if you need to provide a pin code to unlock
52 # your sim card
53 pin=5308
54 #connect-allow-ip = "127.0.0.1"
55 #log-level = 1
56 #log-file = "/var/log/kannel/smsc.log"
57 #modemtype = auto
58 #device = /dev/ttyHS0
59
60 # -----
61 # Modems definition
62 # -----
63
64 # Huawei E220 modem
65 group = modems
66 id = huawei_e220_00
67 name = "Huawei E220"
68 detect-string = "huawei"
69 init-string = "AT+CNMI=2,1,2,2,0"
70 message-storage = sm
71 speed = 460800
72
73 # Sierra Wireless Modem
74 group = modems
75 id = sierra_wireless
76 name = "Sierra Wireless"
77 detect-string = "Sierra"
78 message-storage = sm
```




Kannel

Kannel bearerbox version `1.4.3'. Build `Apr 8 2009 13:16:48', compiler `3.4.4 (cygming 1.5.25(0.156/4/2), version 2008-06-12 19:34, machine i686. Hostname risika, IP 193.198.malloc.

Status: running, uptime 7d 0h 34m 58s

WDP: received 0 (0 queued), sent 0 (0 queued)

SMS: received 62 (0 queued), sent 64 (0 queued), store size -1

SMS: inbound (0.01,0.00,0.00) msg/sec, outbound (0.01,0.01,0.00) msg/sec

DLR: 2 queued, using internal storage

Box connections:

smsbox:(none), IP 127.0.0.1 (0 queued), (on-line 7d 0h 34m 55s)

SMSC connections:

default AT2[default] (online 606894s, rcvd 62, sent 64, failed 0, queued 0 msgs)



Kannel

Kannel bearerbox version `1.4.3'. Build `Apr 8 2009 13:16:48', compiler `3.4.4 (cygming 1.5.25(0.156/4/2), version 2008-06-12 19:34, machine i686. Hostname risika, IP 193.198.malloc.

Status: running, uptime 7d 0h 34m 58s

WDP: received 0 (0 queued), sent 0 (0 queued)

SMS: received 62 (0 queued), sent 64 (0 queued), store size -1

SMS: inbound (0.01,0.00,0.00) msg/sec, outbound (0.01,0.01,0.00) msg/sec

DLR: 2 queued, using internal storage

Box connections:

smsbox:(none), IP 127.0.0.1 (0 queued), (on-line 7d 0h 34m 55s)

SMSC connections:

default AT2[default] (online 606894s, rcvd 62, sent 64, failed 0, queued 0 msgs)



playSMS



playSMS

admin 5000.000

Compose message

Send to

Prefix with # for groups and @ for users

Message

--Please select template--

7 chars : 1 SMS

SEND

Sender ID

1234

Message footer

@admin

Options

- Flash message
- Unicode message

Schedule

Format YYYY-MM-DD hh:mm



Tokovi podataka

- ISVU api
- generiranje nove lozinke
 - Import u LDAP
 - Slanje SMS-a
- 48 sati, oprez



PREDNOSTI:

- brza isporuka promjene lozinke
- ne gubi se papirić
- nema potrebe za uvidom u dokumente
- obavijest o izvanrednim situacijama
- obavijest Knjižnice o rezervaciji

HVALA NA PAŽNJI !!!

Pitanja?

